PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: William Wold et al.

Serial No.: 10/810,063

Filed: March 26, 2004

For: ADENOVIRUS REPLICATION-COMPETENT VECTORS EXPRESSING

TRAIL

Group Art Unit: 1635

Examiner: Whiteman, Brian A.

Atty. Dkt. No.: INGN:106US

Confirmation No.: 8527

CERTIFICATE OF ELECTRONIC TRANSMISSION

I hereby certify that this correspondence is being electronically filed with the United States Patent and Trademark Office via EFS-Web on the date below:

May 25, 20 Date

Monica A. De La Paz

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

In compliance with the duty of disclosure under 37 C.F.R. § 1.56, it is respectfully requested that this Supplemental Information Disclosure Statement be entered and the documents listed on attached Form PTO-1449 be considered by the Examiner and made of record. Copies of the listed documents required by 37 C.F.R. § 1.98(a)(2) are enclosed for the convenience of the Examiner.

In accordance with 37 C.F.R. §§ 1.97(g), (h), this Supplemental Information Disclosure Statement is not to be construed as a representation that a search has been made, and is not to be construed to be an admission that the information cited is, or is considered to be, material to

patentability as defined in 37 C.F.R. § 1.56(b).

The present Supplemental Information Disclosure Statement is being filed before the

mailing of a first Office action after the filing of a request for continued examination under 37

C.F.R. § 1.114, and hence is believed to be timely filed in accordance with 37 C.F.R. § 1.97(b).

No fees are believed to be due in connection with the filing of this

Supplemental Information Disclosure Statement, however, should any fees under 37 C.F.R.

 $\S\S\ 1.16$ to 1.21 be deemed necessary for any reason relating to these materials, the

Commissioner is authorized to deduct the appropriate fees from Fulbright & Jaworski Deposit

Account No.: 50-1212/INGN:106US.

Applicants respectfully request that the listed documents be made of record in the present

case.

Respectfully submitte

Monica A. De La Paz

Reg. No. 54,662 Attorney for Applicants

FULBRIGHT & JAWORSKI L.L.P. 600 Congress Avenue, Suite 2400 Austin, Texas 78701

(512) 474-5201

Date:

May 25, 2007

FORM PTO-1449 (modified) List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Atty. Docket No.: INGN:106US	Serial No.: 10/810,063
		Applicant: William Wold et al.	10/010,003
		Filing Date: March 26, 2004	Group: 1635
U.S. Patent Documents See Page 1	Foreign Patent Documents See Page 1		Other Art See Page 1-3

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Language

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
	C52	Carlin et al., "Epidermal growth factor receptor is down-regulated by a 10,400 MW protein encoded by the E3 region of adenovirus," Cell, 57:135-144, 1989.
	C53	Chiou and White, "Inhibition of ICE-like Proteases Inhibits Apoptosis and Increases Virus Production during Adenovirus Infection," Virology, 244:108-118, 1998.
	C54	Dimitrov et al., "Adenovirus E3-10.4K/14.5K protein complex inhibits tumor necrosis factor- induced translocation of cytosolic phospholipase A2 to membranes," J. Virol., 71:2830-2837, 1997.
	C55	Gooding et al., "A 14,700 MW protein from the E3 region of adenovirus inhibits cytolysis by tumor necrosis factor," Cell, 53:341-346, 1988.
	C56	Gooding et al., "The 10,400- and 14,500-dalton proteins encoded by region E3 of adenovirus function together to protect many but not all mouse cell lines against lysis by tumor necrosis factor," J. Pirol., 65.4114-4123, 1991.
	C57	Gooding et al., "The adenovirus E3-14.7K protein is a general inhibitor of tumor necrosis factor-mediated cytolysis," J. Immunol., 145:3080-3086, 1990.
	C58	Habib et al., "Adenovirus replication-competent vectors (KD1, KD3) complement the cytotoxicily and transgene expression from replication-defective vectors (Ad-GFP, Ad-Luc)," Cancer Gene Ther., 9:651-654, 2002.
	C59	Horton et al., "A protein serologically and functionally related to the group C E3 14,700-kilodalton protein is found in multiple adenovirus serotypes," J. Virol., 64:1250-1255, 1990.

25777578.1

EXAMINER: DATE CONSIDERED:

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

			rage 2 01 3
Form PTO-1449 (modified)		Atty. Docket No.:	Serial No.:
		INGN:106US	10/810,063
ist of Patents and Publications for Applicant's		Applicant:	
		William Wold et al.	
INFORMATION DISCLOSURE STATEMENT			
		Filing Date:	Group:
(Use several sheets if necessary)		March 26, 2004	1635
U.S. Patent Documents	Foreign Patent Documents		Other Art
See Page I	See Page 1		See Page 1-3

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
	C60	Johnstone et al., "Functional analysis of the leukemia protein ELL: evidence for a role in the regulation of cell growth and survival," Mol. Cell Biol., 21:1672-1681, 2001.
	C61	Kladney et al., "Upregulation of the Golgi protein GP73 by adenovirus infection requires the E1A CtBP interaction domain," Virology, 301:236-246, 2002.
	C62	Krajesi et al., "The adenovirus E3 14.5-kilodalton protein, which is required for down- regulation of the epidermal growth factor receptor and prevention of tumor necrosis factor cytolysis, is an integral membrane protein oriented with its C terminus in the cytoplasm," J. Virol., 66:1665-1673, 1992.
	C63	Krajcsi et al., "The adenovirus E3-14.7K protein and the E3-10.4K/14.5K complex of proteins, which independently inhibit tumor necrosis factor (TNF)-induced apoptosis, also independently inhibit TNF-induced release of arachidonic acid," J. Firol., 70:4904-4913, 1996.
	C64	Krajcsi et al., "The E3-10.4K protein of adenovirus is an integral membrane protein that is partially cleaved between Ala22 and Ala23 and has a Ccyt orientation," Vtrology, 187:131-144, 1992.
	C65	Krajcsi et al., "The E3-14.5K integral membrane protein of adenovirus that is required for down-regulation of the BGF receptor and for prevention of TNF cytolysis is O-glycosylated but not N-glycosylated," Virology, 188:570-579, 1992.
	C66	Lichtenstein et al., "Adenovirus RIDbeta subunit contains a tyrosine residue that is critical for RID-mediated receptor internalization and inhibition of Fas- and TRAIL-induced apoptosis," J. Virol., 76:11329-11342, 2002.
	C67	Rawle et al., "Mouse anti-adenovirus cytotoxic T lymphocytes. Inhibition of lysis by E3 gp19K but not E3 14.7K," J. Immunol., 143:2031-2037, 1989.
	C68	Scaria et al., "The E3-11.6K protein of adenovirus is an Asn-glycosylated integral membrane protein that localizes the nuclear membrane," Virology, 191:743-753, 1992.
	C69	Stewart et al., "The adenovirus E3 10.4K and 14.5K proteins, which function to prevent cytolysis by tumor necrosis factor and to down-regulate the epidermal growth factor receptor, are localized in the plasma membrane," J. Virol., 69:172-181, 1995.
	C70	Tollefson and Wold, "Identification and gene mapping of a 14,700-molecular-weight protein encoded by region E3 of group C adenoviruses," <i>J. Virol.</i> , 62:33-39, 1988.

25777578.1

EXAMINER:	DATE CONSIDERED:	
EVAMINED: INITIAL IS DESERRICE CONSIDERED MUSTURE OF MOTOT	ATTOM IS IN COMEORMANCE WITH MPEDGOS. DRAW I THE THROUGH	

INFORMATION DISCLOSURE STATEMENT — PTO-1449 (MODIFIED)

			rage 5 or	,
Form PTO-1449 (modified)		Atty. Docket No.:	Serial No.:	_
		INGN:106US	10/810,063	
List of Patents and Publications for Applicant's		Applicant:		
		William Wold et al.		
INFORMATION DISCLOSURE STATEMENT				
		Filing Date:	Group:	
(Use several sheets if necessary)		March 26, 2004	1635	
U.S. Patent Documents	Foreign Patent Documents		Other Art	_
See Page 1	See Page 1		See Page 1-3	

Other Art (Including Author, Title, Date Pertinent Pages, Etc.) Exam. Ref. Citation Init. Des. C71 Tollefson et al., "A 10,400-molecular-weight membrane protein is coded by region E3 of adenovirus," J. Virol., 64:794-801, 1990. Tollefson et al., "A 14,500 MW protein is coded by region E3 of group C human C72 adenoviruses," Virology, 175:19-29, 1990. C73 Tollefson et al., "Forced degradation of Fas inhibits apoptosis in adenovirus-infected cells," Nature, 392:726-730, 1998. C74 Tollefson et al., "Inhibition of TRAIL-induced apoptosis and forced internalization of TRAIL receptor 1 by adenovirus proteins," J. Virol., 75:8875-8887, 2001. Tollefson et al., "The 10,400- and 14,500-dalton proteins encoded by region E3 of adenovirus C75 form a complex and function together to down-regulate the epidermal growth factor receptor," J. Virol., 65:3095-3105, 1991. C76 Wilson-Rawls et al., "A 6700 MW membrane protein is encoded by region E3 of adenovirus type 2," Virology, 178:204-212, 1990. Wold et al., "E3 transcription unit of adenovirus," Curr. Top. Microbiol. Immunol., 199:237-C77 274, 1995.

25777578.1

EXAMINER: DATE CONSIDERED:

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFIDENANCE WITH MPEPSOP. DRAW LINE THROUGH
CONTROL OF THIS PORM WITH INSPECTABLE AND NOT CONSIDERED, INCLIDE COPY OF THIS PORM WITH INSPECTABLE AND NOT CONSIDERED. INCLIDE COPY OF THIS PORM WITH INSPECTABLE AND NOT CONSIDERED. INCLIDE COPY OF THIS PORM WITH INSPECTABLE.